

ITC-HG-X

RJ45 SUPER FLEXIBLE GIGABIT ETHERNET CABLE

The RJ45 Super Flexible Gigabit Ethernet Cable can be used for data transmission of RJ45 Gigabit Ethernet interface cameras, and is available in a variety of lengths.




Applicable Camera:

- RJ45 Gigabit Ethernet Interface Area Scan Camera
- RJ45 Gigabit Ethernet Interface Line Scan Camera

Order Models:

- 3m RJ45 Super Flexible Gigabit Ethernet Cable: ITC-HG-3
- 5m RJ45 Super Flexible Gigabit Ethernet Cable: ITC-HG-5
- 7m RJ45 Super Flexible Gigabit Ethernet Cable: ITC-HG-7
- 10m RJ45 Super Flexible Gigabit Ethernet Cable: ITC-HG-10
- 15m RJ45 Super Flexible Gigabit Ethernet Cable: ITC-HG-15
- 30m RJ45 Super Flexible Gigabit Ethernet Cable: ITC-HG-30

Dimension:





Specification

Model Specifications	ITC-HG-X
	RJ45 Super Flexible Gigabit Ethernet Cable
Physical specification	
End A connector	RJ45 (with locking stud)
End B connector	RJ45
Cable diameter	6.2 mm
Length	3/5/7/10/15/30 m
Cable mechanical	4P*26#
Jacket	PVC
Cable color	Black
Min. bending radius	Static scenes: 31mm
	Tank chain: 62mm
Applicable scenario	Static scenes/tank chain
Max. U-type bending cycles	10 million times
Electrical specification	
Max. voltage	30 VDC
Additional information	
Working temperature	Static scenes: -20°C∼ 80°C
	Tank chain: -5°C~ 60°C
Certification	RoHS
Packaging	Individual package

Read the user manual for the camera including the precautions before connecting the cable to the camera.